BULLDOG WINCH®

AIR





>>V450 HD PORTABLE COMPRESSOR

Part#	Description
41010	125PSI HD Portable Compressor

- 14.1CFM / 400L/min High Volume Compressor Fills Large Tires Fast
- Automatic Reset Thermal Overload Protector
- Built-in Resettable 160A Circuit Breaker
- Dual Fan Motor Cooling For Longer Duty Cycle

FOR:

40"+

TIRES



INCLUDES DURABLE, HEAVY-DUTY CARRY/STORAGE BAG



125PSI | 14. 1CFM | CONSTANT Duty cycle

125PSI AIR COMPRESSOR-PORTABLE

Includes:



29.5’ (9M) RUBBER AIR HOSE



PISTOL GRIP INFLATOR, 0-150PSI
DIAL GAUGE, DEFLATOR BUTTON




DURABLE, HEAVY-DUTY
CARRY/STORAGE BAG



13'(4M) POWER WIRE WITH HEAVY-DUTY
CLAMPS, ABRASION PROTECTION SLEEVE




LCD CONTROL PANEL



INFLATION ADAPTERS WITH FLIP-OPEN
STORAGE COMPARTMENT



4X50MM CYLINDERS CREATES 14.1CFM
AIR FLOW FOR LARGE TIRES




CAN BE OPERATED WITH SINGLE OR DUAL
OUTLETS. SINGLE OUTLET AT 14.1CFM
AND DOUBLE OUTLET AT 7CFM EACH

>>150PSI PORTABLE COMPRESSOR KIT

Part#	Description
41009	150PSI PORTABLE COMPRESSOR KIT

- High Output
- Portable Kit With On-board Features
- Inflates Large Tires Fast





150PSI | **4.2CFM** | **40Min. Max. Duty cycle**

Includes:



1 Gallon air tank for quick fill of tires and other



Twin cylinder on-board compressor with 4.2CFM for quick tank fills




30ft polyurethane air hose



10ft power cord with heavy-duty battery clamps and 60A in-line fuse for safety




Pistol grip inflator gun with 0-150psi analog gauge and deflator button




Analog pressure gauge for monitoring tank pressure



Pressure regulator on tank output to control pressures for tire inflation, air tool use, etc



Drain hose with in-line shut-off valve to drain water from tank



120-150PSI pressure switch



180PSI 1/4"npt safety valve



Heavy-duty weather resistant carry case for maximum protection



Accessory storage pockets on inside lid provide lots of storage room for inflator and other accessories

>>150PSI AUTOMATIC
AIR COMPRESSOR-PORTABLE

Max. Amp Draw	Max. Duty Cycle
90A.	40Min.

Part#	Description
41013	150PSI Automatic Portable Compressor

- **Set pressure, turn on, and compressor will shut-off automatically when pressure is reached**
- 10.6 CFM / 300L/min High Volume
- Automatic Reset Thermal Overload Protector
- Oversize Foot Tray With Vibration Isolators To Reduce Walking
- Great For Large Truck & Jeep Tires

FOR:

40" + TIRES

NEW




29.5' (9M) RUBBER AIR HOSE

150PSI | **10. 6CFM** | **40Min. Max. Duty cycle**

Includes:



29.5' (9M) RUBBER AIR HOSE



OVERSIZE SAND TRAY WITH SHOCK ABSORBING RUBBER FEET AND MOUNTS



BUILT-IN WASHABLE AIR FILTERS



DOUBLE CYLINDER 10.6CFM



LCD CONTROL PANEL SET PRESSURE & AUTOMATICALLY SHUTS OFF



QUICK CONNECTOR WITH HEAT SHIELD



HEAVY DUTY BATTERY CLAMPS



CARRY HANDLE



200PSI RATED QUICK CONNECT CHUCK



INFLATION ADAPTORS



DURABLE CARRY BAG



HUGE 60MM DIAMETER PISTON VS COMPETITIVE COMPRESSORS WITH 30MM DIAMETER PISTONS

>>150PSI AIR COMPRESSOR-PORTABLE

Part#	Description
41000	150PSI Automatic Portable Compressor

Max. Amp Draw	Max. Duty Cycle
45A.	40Min.

- 5.65 CFM / 160L/min High Volume
- Automatic Reset Thermal Overload Protector
- Oversize Foot Tray With Vibration Isolators To Reduce Walking
- Built-in Resettable 50A Circuit Breaker
- 150psi Pressure Relief Valve For Safety
- In-line Pressure Guage
- Deflation Button For Quick Air Down Adjustments
- Great For Large Truck & Jeep Tires

FOR:

37" + TIRES



Includes Carry Bag



Includes 5pc Inflation Adapters




150PSI | 5.65CFM | 40Min. Max. Duty cycle

Includes:



26' (8M) PA (POLY ACRYLIC URETHANE BLEND) AIR HOSE



OVERSIZE SAND TRAY WITH SHOCK ABSORBING RUBBER FEET AND MOUNTS



BUILT-IN WASHABLE AIR FILTER



150PSI PRESSURE RELIEF VALVE FOR SAFETY




50A CIRCUIT BREAKER & ON/OFF SWITCH



IN-LINE CALIBRATED PRESSURE GAUGE



QUICK CONNECTOR WITH HEAT SHIELD



PERFORATED HANDLE GRIP TO REDUCE HEAT



SCREW-ON VALVE CONNECTOR



THUMB LOCK VALVE CONNECTOR



DURABLE CARRY BAG



HUGE 60MM DIAMETER PISTON VS COMPETITIVE COMPRESSORS WITH 30MM DIAMETER PISTONS



HEAVY DUTY BATTERY CLAMPS



DEFLATION BUTTON FOR QUICK AIR DOWN ADJUSTMENTS



INFLATION ADAPTORS

>>150PSI AIR COMPRESSOR-PORTABLE

Part#	Description
41003	150PSI Air Compressor


Max. Amp Draw	Max. Duty Cycle
30A.	10Min.

- 2.5CFM/ 72L/min Air Flow
- Oversize Foot Tray With Vibration Isolators To Reduce Walking
- In-line Pressure Gauge
- Deflation Button For Quick Air Down Adjustments

FOR UP TO 33" TIRES




25FT(7.62M) PU Air Hose


Oversize Sand Tray With Shock Absorbing Rubber Feet And Mounts


ON/OFF Switch


In-line Calibrated Pressure Gauge


Deflation Button For Quick Air Down Adjustments


Battery Clamps


Convenient Carry Handle With Cushion Heat-shielding Grip


Inflation Adaptors


Carry Bag


Quick Connector With Heat Shield


Screw-on Valve Connector

150PSI | **2.5CFM** | **10Min. Max. Duty cycle**

>>150PSI AIR COMPRESSOR-PORTABLE

Part#	Description
41002	150PSI Air Compressor

Max. Amp Draw	Max. Duty Cycle
23A.	10Min.

- 1.6CFM/ 45L/min Air Flow
- Oversize Foot Tray With Vibration Isolators To Reduce Walking
- In-line Pressure Gauge

FOR UP TO 31" TIRES




16.4FT(5M) PU Air Hose

150PSI Calibrated Pressure Gauge With Deflation Button On Back Side



16.4ft (5m) Pu Air Hose



Oversize Sand Tray With Shock Absorbing Rubber Feet And Mounts



ON/OFF Switch



Quick Connector With Heat Shield



Screw-on Valve Connector



In-line Calibrated Pressure Gauge



Battery Clamps



Convenient Carry Handle



Inflation Adaptors



Carry Bag

150PSI | 1.8CFM | 10Min. Max. Duty cycle

>>100PSI AIR COMPRESSOR-PORTABLE

Part#	Description
41001	100PSI Air Compressor


Max. Amp Draw	Max. Duty Cycle
14A.	10Min.

- 1.2CFM/ 34L/min Air Flow
- Oversize Foot Tray With Vibration Isolators To Reduce Walking
- Pressure Gauge

FOR UP TO 225/60R18 TIRES




Pressure Gauge


Oversize Foot Tray With Vibration Isolators To reduce walking


Carry Bag


ON/OFF Switch


15FT Power Plug


4FT Air Hose


Inflation Adaptors

100PSI | 1.2CFM | 10Min. Max. Duty cycle

>> AUTOMATIC 100PSI AIR COMPRESSOR-PORTABLE

Part#	Description
41004	AUTOMATIC 100PSI Air Compressor

Max. Amp Draw	Max. Duty Cycle
14A.	10Min.

- 1.2CFM/ 34L/min Air Flow
- Set to desired pressure and it AUTOMATICALLY shuts off when the pressure is reached
- Displays current tire pressure on digital read-out screen
- Amber Emergency/Safety Light with Constant and Flashing Mode Options

FOR UP TO 31" TIRES



20ft (6.1m) PU Air Hose



10FT Power Plug



Inflation Adaptors



Storage Pocket For Adapters



Rubber Feet To Minimize Vibration, Noise, And Walking



Digital screen



Emergency/Safety Light



Power Cord Storage Compartment



Carry Bag

100PSI | **1.2CFM** | **10Min. Max. Duty cycle**

THE CFM STORY

Tire Inflator Performance

Head to Head vs. competition

	Inflation Time* (Fast To Slow)	CFM** (Cubic Feet / Minute)	$/CFM (Cost Per 1 CFM)
 **Bulldog Winch** V4 Inflator 41010 MSRP **$524.99**	**1:18** 1.3 Minutes	14 CFM	$37.50
 **Bulldog Winch** 2 Cyl. Inflator 41013 MSRP **$229.99**	**1:24** 1.4 Minutes	10.6 CFM	$21.70
 **Bulldog Winch Onboard** 150 PSI 41009 MSRP **$606.99**	**2:14** 2.23 Minutes	4.2 CFM	$144.52
 **Bulldog Winch** Portable 150 PSI 41000 MSRP **$179.99**	**2:30** 2.5 Minutes	5.6 CFM	$32.14
 **Bulldog Winch** Portable 150 PSI 41003 MSRP **$133.99**	**4:30** 4.5 Minutes	2.5 CFM	$53.60
 Brand "V" Portable MSRP **$289.95**	**5:01** 5.03 Minutes	1.8 CFM	$161.08
 Brand "M" Portable MSRP **$174.99**	**5:28** 5.47 Minutes	1.4 CFM	$124.99
 **Bulldog Winch** Portable 150 PSI 41002 MSRP **$63.99**	**8:20** 8.33 Minutes	1.6 CFM	$39.99
 **Bulldog Winch** Portable 100 PSI 41004 MSRP **$88.59**	**10:00** 10 Minutes	1.2 CFM	$73.83
 **Bulldog Winch** Portable 100 PSI 41001 MSRP **$45.61**	**10:00** 10 Minutes	1.2 CFM	$38.01
 Brand "D" Portable MSRP **$139.00**	**12:19** 12.32 Minutes	0.6 CFM	$231.67
 As Seen on TV Portable MSRP **$79.99**	**16:21** 16.35 Minutes	0.5 CFM	$159.98

* Average times in 3 trials to inflate a 35" tire (LT315/70 R17) from 0 to 30 psi **CFM (Cubic Feet per Minute) measures how fast an inflator works
***MSRP divided by CFM

>>UP TO 200PSI DOUBLE CYLINDER AIR COMPRESSOR

Part#	Description
41006	UP to 200PSI Double Cylinder Air Compressor

Max. Amp Draw	Duty Cycle
45A.	30% @ 100PSI

EXTREME WATER RESISTANCE IP67

- For On-board Systems
- Double Cylinder Provides 4.2CFM For Faster Tank Replenishment
- 3/8"NPT Leader Hoses With Check-Valves To Prevent Back-Pressure To Cylinders

SPECIFICATIONS:

Motor: 12V DC Permanent Magnet
Max. Voltage: 13.8V DC
Max. Intermittent Pressure: 200PSI
Max. Duty Cycle: 30% @ 100PSI
Max. Amp Draw: 45 Amps
Max. Air Flow: 4.2CFM
Cylinder Size: 40MM
Max. Operating Temperature: 122˚F
Min. Operating Temperature: -58˚F
Dimension: 14.09*3.94*6.69inch(35.8*10*17cm)
Net Weight: 13.94LBS(6.34KGS)



200PSI | 4.2CFM | 18Min. Max. Duty cycle

>>200PSI ON BOARD COMPRESSOR

Part#	Description
41008	200PSI on board compressor

Max. Amp Draw	Duty Cycle
23A.	50% @ 200PSI

EXTREME WATER RESISTANCE IP67

- For On-board Systems
- 1.8CFM Tank Replenishment
- 3/8"NPT Leader Hoses With Check-Valves To Prevent Back-Pressure To Cylinders

SPECIFICATIONS:

Motor: 12V DC Permanent Magnet
Max. Voltage: 13.8V DC
Max. Intermittent Pressure: 200PSI
Max. Duty Cycle: 50% @ 200PSI
Max. Amp Draw: 23 Amps
Max. Air Flow: 1.8CFM
Cylinder Size: 40MM
Max. Operating Temperature: 122˚F
Min. Operating Temperature: -58˚F
Dimension: 11*3.94*6.69inch(28*10*17cm)
Net Weight: 13.94LBS(6.34KGS)



200PSI | 1.8CFM | 30Min. Max. Duty cycle

>>ON BOARD AIR KIT

Part#	Description
41005	145PSI constant duty on board air kit

- Use to power lockers, air horns, small air tools and more
- Use to inflate tires and more
- Air line with quick connect provided
- Includes everything to install a quality onboard air system

1.8CFM
145PSI Maximum Working Pressure





Compressor and related parts:

1. 1.8CFM/200PSI air compressor
2. air filter elements
3. remote inlet air filter assembly with 6.5ft(2m) air hose
4. air line clips & lead hose bracket clip
5. 20ft power wire with inline fuse holder
6. 60A relay
7. hardware



Tank and related parts:

1. 2.5Gallon/200PSI-10 bungs (8x1/4" NPT, 2x3/8"NPT) air tank
2. 19.7ft(6m) air hose
3. sealed pressure switch, 110PSI on, 145PSI off
4. 1/4"NPT drain cock
5. 1/4"NPT 180PSI safety valve
6. 1/4"NPT quick connect stud(F)
7. 1/4"NPTquick connect stud(M)
8. 1/4"NPT compression fitting
9. 1/4"NPT quick connect coupler(F)
10. 150PSI in-cab gauge with ON/OFF switch and mounting bracket
11. 3pcs of 1/4"NPT plug
12. 1pc 3/8"NPT plug
13. Hardware

>>ON BOARD AIR KIT

Part#	Description
41007	On Board Air Kit - 2.5 Gallon Tank
41007-5	On Board Air Kit - 5.0 Gallon Tank

- Use to power lockers, air horns, small air tools and more
- Use to inflate tires and more
- Air line with quick connect provided
- Includes everything to install a quality onboard air system

EXTREME WATER RESISTANCE IP67





Compressor and related parts:

1. 4.2CFM/200PSI air compressor
2. air filter elements
3. remote inlet air filter assembly with 6.5ft(2m) air hose - 2pcs
4. air line clips & lead hose bracket clip
5. 20ft power wire with inline fuse holder
6. hardware



Tank and related parts:

1. 41007: 2.5Gallon/200PSI-10 bungs (8x1/4"NPT, 2x3/8"NPT) air tank
   41007-5: 5Gallon/200PSI-10 bungs (8x1/4"NPT, 2x3/8"NPT) air tank
2. 19.7ft(6m) air hose
3. sealed pressure switch, 110PSI on, 145PSI off
4. 1/4"NPT drain cock
5. 1/4"NPT 180PSI safety valve
6. 1/4"NPT quick connect stud(F)
7. 1/4"NPTquick connect stud(M)
8. 1/4"NPT compression fitting
9. 1/4"NPT quick connect coupler(F)
10. 150PSI in-cab gauge with ON/OFF switch and mounting bracket
11. 3pcs of 1/4"NPT plug
12. Hardware

>>ON BOARD AIR KIT - LIGHT DUTY
1.6CFM
130PSI Maximum Working Pressure

Part#	Description
41011	130PSI on Board Air Kit - Light Duty

- Use to power lockers, air horns, small air tools and more
- Use to inflate tires and more
- Air line with quick connect provided
- Includes everything to install a quality onboard air system



Compressor and related parts:

1. 1.3CFM/130PSI air compressor
2. 4pcs of rubber brackets
3. hardware



Tank and related parts:

1. 1Gallon/200PSI-8 bungs (6x1/4" NPT, 2x3/8"NPT) air tank
2. 6.56ft(2m) air hose
3. sealed pressure switch, 85PSI on, 105PSI off
4. 1/4"NPT drain cock
5. 1/4"NPT 145PSI safety valve
6. 1/4"NPT compression fitting
7. 40A relay
8. 20ft wire with inline fuse holder
9. 1pcs of 1/4"NPT plug
10. 2pc 3/8"NPT plug
11. 2pcs compressor cusion feet
12. 1pc Ground strip
13. 2pcs clamping pipe
14. 4pcs electrical connection
15. Hardware



>>130PSI ON BOARD COMPRESSOR - LIGHT DUTY

Part#	Description
41012	130PSI on Board Compressor - Light Duty

- For Light Duty On-board Systems
- 1.6CFM tank replenishment
- 1/4"NPT Leader Hoses With Check-Valves To Prevent Back-Pressure To Cylinders
- Ideal Usage: Air horns, Air Lockers




130PSI | **1.6CFM** | **10Min. Max. Duty cycle**

>>0.5GALLON AIR Tank



Part#	Description
42001	0.5Gallon, 8 bungs air tank

- 200PSI Max. working pressure
- 6pcs of 1/4" NPT bungs
- 2pcs of 3/8" NPT bungs




>>1.0GALLON AIR Tank



Part#	Description
42002	1.0Gallon, 8 bungs air tank

- 200PSI Max. working pressure
- 6pcs of 1/4" NPT bungs
- 2pcs of 3/8" NPT bungs




>>1.5GALLON AIR Tank

Part#	Description
42003	1.5Gallon, 8 bungs air tank

- 200PSI Max. working pressure
- 6pcs of 1/4" NPT bungs
- 2pcs of 3/8" NPT bungs





>>2.0GALLON AIR Tank

Part#	Description
42004	2.0Gallon, 10 bungs air tank

- 200PSI Max. working pressure
- 8pcs of 1/4" NPT bungs
- 2pcs of 3/8" NPT bungs





>> 2.5GALLON AIR Tank

Part#	Description
42005	2.5Gallon, 10 bungs air tank

- 200PSI Max. working pressure
- 8pcs of 1/4" NPT bungs
- 2pcs of 3/8" NPT bungs









>> 5.0GALLON AIR Tank

Part#	Description
42006	5.0Gallon, 10 bungs air tank

- 200PSI Max. working pressure
- 8pcs of 1/4" NPT bungs
- 2pcs of 3/8" NPT bungs







Part#	Description
42056	Mechanical air pressure gauge connection kit


- 12" nylon air tubing
- 7pcs brass connection fittings
- Works with 42054B and 42055B mechanical air pressure gauges.




• 42056

Part#	Description
20364	"WHITE" ON/OFF 5-PIN AIR COMPRESSOR ROCKER SWITCH

• Double LED Lighted - 1-OFF-DASH & 1-ON





• 20364

Part#	Description
42053	Bracket For 2" Gauge and switch

- Fits 20364 Switch.
- Fits 2" Gauges.
- Steel For Strength
- Textured black powder coat finish



• 42053

Part#	Description
42057	0-150PSI air pressure gauge, ON/OFF switch mounting bracket



- 42057

- Mechanical, Lighted Gauge 0-150PSI.
- Monitors system pressure for your on-board tank
- Durable mechanical movement.
- Incandescent bulb lights around perimeter of dial.
- Includes 12ft nylon tubing and 7pcs brass fittings for connecting gauge.





Part#	Description
42077	0-150PSI Dual air pressure gauge, ON/OFF switch mounting bracket



- 42077

- Mechanical, Lighted Gauge 0-150PSI.
- Monitors two system pressure for your on-board tanks
- Durable mechanical movements.
- Incandescent bulb lights around perimeter of dial.
- Includes two 12ft nylon tubing and 7pcs brass fittings for connecting gauge.



Part#	Description
42078	0-200PSI air pressure gauge, ON/OFF switch mounting bracket

- Mechanical, Lighted Gauge 0-200PSI.
- Monitors system pressure for your on-board tank
- Durable mechanical movement.
- Incandescent bulb lights around perimeter of dial.
- Includes 12ft nylon tubing and 7pcs brass fittings for connecting gauge.





• 42078

Part#	Description
42079	0-200PSI Dual air pressure gauge, ON/OFF switch mounting bracket

- Mechanical, Lighted Gauge 0-200PSI.
- Monitors two system pressure for your on-board tanks
- Durable mechanical movements.
- Incandescent bulb lights around perimeter of dial.
- Includes two 12ft nylon tubing and 7pcs brass fittings for connecting gauge.






• 42079

>> 150PSI 2" AIR PRESSURE GAUGE

Part#	Description
42054B	0-150PSI 2" Air Pressure Gauge, mechanical, lighted

- Monitors system pressure for your on-board tank
- Durable mechanical movement
- Incandescent bulb lights around perimeter of dial
- Includes 12ft nylon tubing and 7pcs brass fittings for connecting gauge
- Includes mounting bracket and hardware



• 42054B Back




• 42054B



• 42054B Lighted







Part#	Description
42055B	0-150PSI 2" Dual Needle Air Pressure Gauge, mechanical, lighted

- Monitors 2 seperate system's air pressure for your on-board tanks
- Durable mechanical movements
- Incandescent bulb lights around perimeter of dial
- Includes two sets of 12ft nylon tubing and 7pcs brass fittings for connecting gauge
- Includes mounting bracket and hardware



• 42055B Back



• 42055B



• 42055B Lighted







>> 200PSI 2" AIR PRESSURE GAUGE

Part#	Description
42074B	0-200PSI 2" Air Pressure Gauge, mechanical, lighted


- Monitors system pressure for your on-board tank
- Durable mechanical movement
- Incandescent bulb lights around perimeter of dial
- Includes 12ft nylon tubing and 7pcs brass fittings for connecting gauge
- Includes mounting bracket and hardware



• 42074




• 42074 Lighted



• 42074 Back







Part#	Description
42075B	0-200PSI 2" Dual Needle Air Pressure Gauge, mechanical, lighted

- Monitors 2 seperate system's air pressure for your on-board tanks
- Durable mechanical movements
- Incandescent bulb lights around perimeter of dial
- Includes two sets of 12ft nylon tubing and 7pcs brass fittings for connecting gauge
- Includes mounting bracket and hardware



• 42075




• 42075 Lighted









• 42075 Back



• 42010/42011/42013

>> SEALED PRESSURE SWITCH

Part#	Description
42010	90 PSI on, 120 PSI off , 1/4" NPT sealed pressure switch
42011	110 PSI on, 145 PSI off , 1/4" NPT sealed pressure switch
42012	165 PSIon, 200 PSI off , 1/4" NPT sealed pressure switch
42060	85 PSIon, 105 PSI off , 1/4" NPT sealed pressure switch

• sealed pressure switch



• 42014

>> DRAIN COCK

Part#	Description
42014	1/4" NPT drain cock

• 1/4" NPT
• Brass



• 42015/42016/42017/42018/42019

>> SAFETY VALVE

Part#	Description
42015	145 PSI coded safety valve
42016	155 PSI coded safety valve
42017	175 PSI coded safety valve
42018	205 PSI coded safety valve
42019	250 PSI coded safety valve

• 1/4" NPT safety valve
• Brass



• 42020/42036

>> PLUG KIT

Part#	Description
42020	1/4" NPT 3pcs Plugs
42036	3/8" NPT 3pcs Plugs

• Brass with chrome plating



• 42021/42022/42038

>> REDUCERS/ADAPTERS

Part#	Description
42021	3/8" NPT male to 1/4" NPT male reducer
42022	3/8" NPT male to 1/4" NPT female reducer
42038	1/4" NPT male to 3/8" NPT female reducer

• Brass



• 42027

>> REMOTE INLET AIR FILTER ASSEMBLES

Part#	Description
42027	3/8" NPT metal remote inlet air filter assembles
42043	1/4" NPT remote inlet air filter assembles
42044	3/8" NPT remote inlet air filter assembles

• Includes hose fittings



• 42043/42044

>> AIR FILTERS

Part#	Description
42028	1/4" NPT 2pcs air filters
42029	3/8" NPT 2pcs air filters

• 2-stage filter



• 42028



• 42029

>> QUICK CONNECT COUPLERS

Part#	Description
42023	1/4" NPT quick connect coupler - Male
42024	1/4" NPT quick connect coupler - Female
42039	3/8" NPT quick connect coupler - Male
42040	3/8" NPT quick connect coupler - Female

• Brass with chrome plating



• 42023/42024/42039/42040

>> QUICK CONNECT STUD

Part#	Description
42025	1/4" NPT quick connect stud - Male
42026	1/4" NPT quick connect stud - Female
42041	3/8" NPT quick connect stud - Male
42042	3/8" NPT quick connect stud - Female

• Brass



• 42025/42026/42041/42042

>> LEADER HOSE

Part#	Description
42030	1/4" x 20' leader hose with check valve
42031	3/8" x 20' leader hose with check valve

• Stainless Steel Braided



• 42030/42031

>> AIR LINE

Part#	Description
42032	1/4" x 6.6' air line for remote mounting
42033	3/8" x 6.6' air line for remote mounting



• 42032/42033

>> RELAY

Part#	Description
42035	40A relay
42071	60A relay



• 42035/42071

>> COMPRESSION FITTING

Part#	Description
42045	1/4" NPT compression fitting
42046	3/8" NPT compression fitting

• Brass
• Fits 4mm hose



• 42029

>> ADAPTER

Part#	Description
42073	Adapter from M12*1.0 to 1/4"NPT

* Replaces male quick connector on 41000 to allow user to add their own connector
• SS304
• Male threads are M12*1.0
• Female threads are 1/4NPT
• Use sealant on threads (not included)



• 42073

>> ADAPTER HOSE

Part#	Description
42076	Adapter hose for 41000

• 12" rubber hose
• Converts 41000 quick connect to style m quick connect



• 42076

SYSTEM WORKS WITH "M" STYLE CONNECTORS

EQUALIZES PRESSURE IN THE CONNECTED SYSTEM



>> 4-TIRE INFLATIION /DEFLATION SYSTEM


Part#	Description
42082	4-tire inflation/deflation system

- Fits most vehicles with up to 158" wheel base
- Airs up or airs down - up to 4 tires at the same time
- Easy pressure monitoring and adjustment of the entire system
- Works with most air compressors with "m" style connectors
- Equalizes pressure in the connected system



SLIM PROFILE LOCKING CHUCKS FOR EACH TIRE





MANIFOLD WITH DIGITAL GAUGE AND SYSTEM SHUT-OFF



HIGH TEMPERATURE 6' FEEDER HOSE TO HANDLE HOT AIR FROM COMPRESSOR




MALE ADAPTER FOR FEEDER HOSE



STORAGE BAG



J HOOK FOR HANGING MANIFOLD



FLEXIBLE KINK AND ABRASION RESISTANT HOSES
RATED WORKING TEMP RANGE:˚-40 F~176 F



Part#	Description
42083	Slim profile locking chuck

- 1/4" NPT
- Fits most standard size valve stems





• 42083

Part#	Description
42090	Air Chuck

- Closed Flow Stops Air Flow When Disconnected Premium Brass Components
- Easy Push On And Lever To Disconnect 1/4"NPT Female Threads



• 42090




NEW

>> INFLATOR WITH 0-150PSI DIAL GAUGE

Part#	Description
42087	Inflator

- Pistol Grip With Quick Connector
- 200PSI Gauge



• 42087





Potential attachments- sold separately



with 42085



with 42086

Part#	Description
42085	Quick Connect Chuck

- Quick Connect Chuck Pushes on Valves Easily and Locks in Place
- Press the Button for Quick Release
- 8" Hose with M-type Male Connector



• 42085

Part#	Description
42086	Dual Head Chuck

- Great for Hard to Reach Valves
- Great for RV's & Trucks, etc
- 12" Hose with M-type male Connector



• 42086



• 42065

>> INFLATOR WITH 0-150PSI DIAL GAUGE

Part#	Description
42065	Inflator with 0-150PSI dial gauge

- Inflate - Deflate - Measure
- Quick and easy to use
- Solid brass precision movement with bronze bourdon tube
- Bourdon tube movement is not affected by changes in temperature or altitude
- 12" flexible hose with braided stainless abrasion protection
- Heavy-duty brass chuck with spring latch for quick attachment to tire valves
- Deflator button for adjusting air down
- Popular industry standard quick connect stud for air hose connection
- Molded rubber cover to help protect gauge
- Proper tire inflation improves safety, saves fuel, improves tire wear/life of tires






• 42072

>> INFLATOR WITH 0-200PSI DIGITAL GAUGE

Part#	Description
42072	Inflator with 0-200PSI digital gauge


- Inflate - Deflate - Measure
- Quick and easy to use
- High quality digial movement
- 12" flexible hose with braided stainless abrasion protection
- Heavy-duty brass chuck with spring latch for quick attachment to tire valves
- Deflator button for adjusting air down
- Popular industry standard quick connect stud for air connection
- Molded rubber cover to help protect gauge
- Proper tire inflation improves safety, saves fuel, improves tire wear/life of tires



>> RV WATERLINE WINTERIZATION KIT

Part#	Description
42088	RV Waterline Winterization Kit

- For use with compressor or other source of compressed air
- Protects water lines from freezing



• 42088





>> AIR HOSE

Part#	Description
42084	30' Air Hose

- 30' Double Female Air Hose
- 300PSI Working Pressure, 158°F (70°C) Working Temperature
- 1/4" ID
- M Style Connectors
- Great For Extending the Reach of Your Compressor



• 42084

>> AUTOMATIC TIRE DEFLATORS

Part#	Description
42068	Automatic tire deflators

- Set Of 4
- Setting Range 5 To 30psi
- Quickly Air Down 4 Tires At Trail Head
- Simple Thread Onto Tire Valves And Deflators Deflate Tires To A Pre-set Pressure





• 42068

PACKED IN CASE



Part#	Description
42089	Automatic tire deflators

- Set Of 4
- Setting Range 10 To 30psi
- Quickly Air Down 4 Tires At Trail Head
- Simple Thread Onto Tire Valves And The Bulldog Winch Deflators Deflate Tires To Your Pre-set Pressure





• 42089

PACKED IN CASE



>> DEFLATOR WITH 0-100PSI GAUGE

Part#	Description
42066	Deflator with 0-100PSI gauge

- Air down for improved off-road traction
- Quickly deflates tires
- Controls removal & replacement of valve stem for quick & accurate deflation
- Solid brass precision movement with bronze bourdon tube
- Bourdon tube movement is not affected by changes in temperature humidity, or altitude
- Molded rubber cover to help protect gauge



Includes Carry/Storage Bag



• 42066

>> DEFLATOR WITH 0-200PSI DIGITAL GAUGE

Part#	Description
42067	Deflator with 0-200PSI digital gauge


- Air down for improved off-road traction
- Quickly deflates tires
- Controls removal & replacement of valve stem for quick & accurate deflation
- High quality digital movement
- Molded rubber cover to help protect gauge



Includes Carry/Storage Bag



• 42067



• 42061

>> 3-60PSI
AIR PRESSURE GAUGE

Part#	Description
42061	3-60PSI air pressure gauge

- High quality brass components
- Solid brass precision movement with bronze bourdon tube
- Bourdon tube movement is not affected by changes in temperature humidity, or altitude
- Molded rubber cover to help protect gauge
- Chuck rotates 360 degrees for easy positioning on valve & viewing gauge



• 42062


>> 0-15PSI
LOW AIR PRESSURE GAUGE

Part#	Description
42062	0-15PSI low air pressure gauge

- High quality brass components
- Solid brass precision movement with bronze bourdon tube
- Bourdon tube movement is not affected by changes in temperature humidity, or altitude
- Molded rubber cover to help protect gauge
- Chuck rotates 360 degrees for easy positioning on valve & viewing gauge
- Pressure release/air-down valve

Includes Carry/Storage Bag






• 42069

>> 10-150PSI
TRUCK TIRE GAUGE

Part#	Description
42069	10-150PSI truck tire gauge

- Dual head
- 11.5" length for hard to reach valves
- Hooked head chuck for pull back pressure check on duallies
- Spring pocket clip
- Also works on cars, motorcycles, bicycles, inflatables.



>> 0-100PSI AIR PRESSURE GAUGE

Part#	Description
42063	0-100PSI air pressure gauge

- High quality brass components
- Solid brass precision movement with bronze bourdon tube
- Bourdon tube movement is not affected by changes in temperature humidity, or altitude
- Molded rubber cover to help protect gauge
- Dual head chuck with metal stem for hard to reach valves
- Pressure release/air-down valve

Includes Carry/Storage Bag





• 42063

>> 0-200PSI DIGITAL AIR PRESSURE GAUGE

Part#	Description
42064	0-200PSI digital air pressure gauge

- High quality digital movement
- Molded rubber cover to help protect gauge
- Dual head chuck with metal stem for hard to reach valves
- Pressure release/air-down valve
- Proper tire inflation improves safety, saves fuel, improves tire wear/life of tires

Includes Carry/Storage Bag





• 42064



>> 60PCS EMERGENCY TIRE REPAIR KIT

Part#	Description
42058B	60pcs Emergency Tire Repair Kit

- Provides Quick Sealing In Emergencies
- Great Kit For Off-road Use

Includes:

1pc Steel T-handle Insertion Tool
1pc Steel T-handle Spiral Reamer Tool
1pc Spare Insertion Needle
2pcs L-type Hex Wrench
40pcs 1/4"x4"(6x100mm) Self-vulcanization Plugs
4pcs Valve Cores
5pcs Plastic Valve Caps
1pc 4-way Valve Stem Tool
1pc Tire Pressure Gauge - Pencil Type With Dual Chuck
1pc Long Nose Pliers
1pc Lube - For Easier Tool Insertion
1pc Knife - For Trimming Plugs
1pc Blow Mold Case





>> 50PCS 1/4X4"(6X100MM) SELF VULCANIZING PLUGS

Part#	Description
42059	50pcs 1/4x4"(6x100mm) Self Vulcanizing Plugs

>> 35pcs Compact Emergency Tire Repair Kit

Part#	Description
42080	35pcs Compact Emergency Tire Repaire Kit

- Provides Quick Sealing In Emergencies
- Great Kit For Off-road Use
- Compact 8x6x2 size to fit most glove boxes





Includes:

1pc Steel T-handle Insertion Tool
1pc Steel T-handle Spiral Reamer Tool
1pc L-Type Hex Wrench
20pcs 1/4"x4"(6x100mm) Self-vulcanization Plugs
1pc 4-Way Valve Stem Tool
2pcs Valve Stems
1pc Side Wall Bailing Wire
1pc 12ml Lubricant
3pcs Tire Repair Patches
1pc Tire Pressure Gauge - Pencil Type With Dual Chuck
1pc Long Nose Pliers
1pc Knife - For Trimming Plugs
1pc Compact Soft-sided Zip-up Storage Case








TIRE REPAIR DISPLAYER

- This eye-catching full color floor display will call attention to our popular tire repair kits.
- It measures 18x12” footprint and 5’ high including the sign.
- We ship the product in two cartons and the displayer in a separate carton.
- The displayer takes an easy 10 minutes to assemble!!
- This great looking display will be sure to increase sales on this highly consumable tire repair category.



TIRE REPAIR DISPLAYER

Part#	Description
60015	Tire Repair Display - Assortment - A

Regular Jobber =$473.04
Special Jobber =$449.00
Includes:

42058	60PCS EMERGENCY TIRE REPAIRE KIT	8
42080	35PCS COMPACT EMERGENCY TIRE REPAIR KIT	8

Part#	Description
60016	Tire Repair Display- Assortment - B

Regular Jobber =$489.56
Special Jobber =$465.00
Includes:

42058	60PCS EMERGENCY TIRE REPAIRE KIT	8
42080	35PCS COMPACT EMERGENCY TIRE REPAIR KIT	8
42059	50PCS 1/4x4"(6x100MM) SELF VULCANIZING PLUGS	4





42058



42080



42059



BULLDOG WINCH CO.,LLC
8644 W LUDLOW DR STE 17
PEORIA, AZ 85381-3821
623-581-0121 tel
orders@bulldogwinch.com
www.bulldogwinch.com

NATDA North American Trailer Dealers Association MEMBER 2020

NTEA THE WORK TRUCK ASSOCIATION

Version A-2024